

Request for Proposals

Garage Door Mural • Home in Historic Uptown

For questions and/or to view

the property and the job site contact:

Robert Coscia, 239-770-2683
robertcoscia23@gmail.com

Home/Project Site Address:

532 6th Ave. N., St. Petersburg, FL 33701

SUBMIT:

After reviewing the details and visiting the job site, please send us the following, preferably via email. If you have a website that contains this information, please send us a link/URL with your proposal.

- A summary of your qualifications as a qualified vendor to complete this job;
- A link to view samples of your work;
- At least one local address where we can view a mural you've done;
- One or more references;
- Ideas and/or drafts of work for our job; and
- Projected costs.

DEADLINE: There is no deadline to submit proposals. We will accept them until we find someone we wish to hire and the job is completed.

DOWNLOAD: To download a copy of this RFP, photos and a sample agreement, go to:
<http://garagemuralproject.com>

Job Details:

- We are seeking an artist(s) who can paint a mural on our newly-installed garage door (see images on page 3).
- Because of the placement and layout of our home on our property, we use our side door (alley entrance) as our main entrance. It is where we spend most of our time when we are outside our home; thus, the garage appearance is important to us.
- The mural can be painted on the indented panels only (as if looking through a windowpane), or it could cover the entire door. It also could include the trim around the door. We are open to options and suggestions. See the images of page 3 for clarification.
- We do plan to install hardware to the door, also shown in the images on page 3.
- The garage door is 8' x 9'. The full possible area for painting (including the framework) is about a foot wider on each side and the top.
- **TIMING:** The door is new, so we'd like the job to be completed soon – this summer.
- **Cautions:** Our cement floor and parking area pavers also are newly installed, and absolutely cannot have any paint spills.

Mural Themes:

- We are open to suggestions for scenery and themes.
- We want it to be something that will be pleasant for our neighbors as well as us, and we'd like it to fit the vibe of the Historic Uptown neighborhood.
- Some things we love: wine, Italy, sunflowers, cats, celestial objects (sun/moon/stars), anything pertaining to nature and wildlife.


Garage Door Material:

- Information regarding the material composition and painting of the garage door surface is contained in the manufacturer's information below.
- We will count on the artist(s) to ensure the mural is painted with the correct paints and in a manner that will adhere and last for a long time.

Commission of Work:

- Upon hire, we ask that you work with us to execute a contract to which we both/all agree.
- A sample contract can be found at this URL: <http://betheschenfelder.com/mural/contract>
The contract specifies the scope of the work, terms of payment, and protections for both the artist(s) and us (the homeowners).
- As previously mentioned, we'd like work done soon, so work should begin soon after the contract is executed or at a mutually agreed upon date.

Finishing



Steel doors

Steel doors are pre-painted with a factory-applied finish that is suitable to be repainted with a wide variety of 100% acrylic exterior grade latex paints. When painting your door, follow the paint manufacturer's instructions. No warranty of paint compatibility is made or implied by Entrematic. Painting pre-painted steel doors voids the paint finish warranty.

Preparation

Lightly buff or sand any surface imperfections. Next, visually inspect door for areas of exposed metal. Treat any exposed metal areas with a primer specifically designed to protect galvanized steel from rusting. Allow the primer to dry according to manufacturer's instructions. Once dry, thoroughly clean your door (refer to page 4). Door must be painted within twenty-four (24) hours after cleaning.

Painting

Use a high-quality 100% acrylic exterior grade latex paint. **Do not use oil based paint.** Paint should be thoroughly mixed before using. If repainting your door, follow the paint manufacturer's instructions for applying paint in relation to temperature, sunlight, number of coats, etc. To avoid paint bleeding when using two colors, use a painting tape, such as 3M Blue Edge™. Painting pre-painted steel doors voids the paint finish warranty.

Photos and Images of Garage Door:

